DIRECT DRIVE TRUCK - SINGLE TEMPERATURE



UNIT Width 789 mm x Depth 500 mm x Height 242 mm **CONDENSER** Width 789 mm x Depth 500 mm x Height 242 mm

V-200s MAX

Superior temperature control

The V-100, 200 and 300 series offer the optimal temperature control solution for trucks and vans up to 28m3. This complete range share many common components including the Direct Smart Reefer and has many modular options to fulfill the requirements of every customer with the following benefits:

- · Superior temperature control
- · User friendly Direct Smart Reefer
- Flexibility
- · Improved reliability of electrical components
- Ease of maintenance and service
- Ease of installation

PERFORMANCE					
REFRIGERATION CAPACITY SYSTEM NET COOLING CAPACITY UNDER A.T.P. COND	DITIONS AT 30 °C AMBIENT	AIRFLOW INDEPENDENT FROM UNIT ENGINE SPEED			
Capacity on engine power 0°C	2410 W	Volume @ 0 Pa static pressure	1001 m³/hr		
Capacity on engine power -20°C	1180 W				
Capacity on electrical stand by 0°C	1500 W				
Capacity on electrical stand by -20°C	650 W				
HEATING CAPACITY					
On the road	2200 W				
Electric Stand By Operation	1300 W				

TECHNICAL DATA					
COMPRESSOR		GENERIC (BOXLENGTH, REFRIGERANT,)			
Model	QP08	Box volume	10 - 19 m ³		
Displacement	131 cm ³	Refrigerant	R-452A		
Number of cylinders	6	Airflow	1000 m ³ /hr		
		Controller	DSR III		
WEIGHT		DEFROST			
Installation kit	24 kg	Defrost	Automatic hot gas defrost		
Condenser w/o electric stand-by	25 kg				
Condenser with electric stand-by	43 kg				
Evaporator	14 kg				
UNIT DIMENSIONS		ENGINE			
Height	242 mm	Rating	1.6 kW		
Width	789 mm	no. of cylinders/displacement	6/82 cm ³		
Depth	500 mm				
Condenser Height	242 mm				
Condenser Width	789 mm				
Condenser Depth	500 mm				
Evaporator Height	187 mm				
Evaporator Width	755 mm				
Evaporator Depth	540 mm				

DIRECT DRIVE TRUCK - SINGLE TEMPERATURE

NOISE		REFRIGERANT	
Road Mode	84 dB(A)	Charge	1.2 kg

DIRECT DRIVE TRUCK - SINGLE TEMPERATURE

	STANDARD FEATURE	OPTION / FACTORY FITTED	OPTION / DEALER FITTED
LIFE COST MANAGEMENT			
ThermoKare Service contracts			х
DATA CAPTURE & COMMUNICATIONS			
USB Datalogger			х
TouchPrint data logger			X
Wintrac (data analysis software)			X
Datalogger Jr			X
LOAD PROTECTION			
Bumper feet roof mounting	x		
HMI holder	x		
Kit hoses large (upgrade)	x		
Kit swivel manifold (upgrade)	x		
Din Adapter		x	
Hose Cover		x	
Muffler kit		x	
Snow Cover (kit deflector Small)		x	
Door switches		x	